

PORTA-GANTRY® 1,100 - 11,000 lb (500 - 5000 kg)

Innovative, lightweight, portable and very strong, the PORTA-GANTRY lifting system is the number one choice for organizations seeking durable, multiple location lifting solutions and a healthy return on investment.



Distributed by **THERN**



- Lightweight & portable with easy on site manual assembly:
 - 4 portable parts on just 4 bolts
 - Flat-packed for shipping & storage
 - 360° swivel-locking castors as standard for easy positioning - All Terrain castors & uneven ground options available
 - Simple, manual height & span adjustment
 - Secure, captive trolley
 - Bolted structure, lateral beam and leg bracing features allow complete stability for any lifting challenge
 - Total security - type tested at NAMAS accredited laboratories with every system tested at 150% of WLL prior to shipment
 - Ergonomic design of profiles, handles, etc for secure operation
 - Flexible system configurations WLL 1,100 lb (500 kg) to WLL 11,000 lb (5,000 kg)
 - Variety of sizes - S, M, I, T standard configurations plus customization where required, with interchangeable components (subject to WLL rating)
 - Corrosion resistant, anodized finish - easily cleaned and suitable for "clean room" applications
- For 11,000 lb (5,000 kg) Model Only**
- "Wheel barrow" handling in field with just two people required (A)
 - Stabilizer leg deployment, vertical "in depot" handling by just one person (B)
 - Geared hand-wheel or optional ratchet operation of beam height adjustment (C)

- 11,000 lb (5,000 kg) WLL rating - available in T & I standard frame sizes plus customization

PORTA-GANTRY® 1,100 - 11,000 lb (500 - 5000 kg)

The PORTA-GANTRY range of lightweight portable aluminum gantries brings a new dimension to the professional lifting market. The portable manual assembly and rigidity of the structure opens up a whole new market for the use of gantries with lifting applications such as confined space, rooftop, HVAC, lift-shaft, wastewater, clean environments and increasing availability from the rental industry.

The bolted structure with lateral beam and leg bracing gives it tremendous stability and rigidity under load. The component sections and materials are custom designed to give the maximum load capacity at minimum weight without compromising reliability. The product is very easy to use on all sites with very simple dismantling into 3 portable parts on just 4 bolts.

OPTIONS AND ACCESSORIES

- Pneumatic "All Terrain" casters and Wind Up Jack Legs
- Tool Set
- Trolley control systems
- Multiple Trolleys
- Interchangeable beam lengths (subject to WLL rating)
- Cantilever counterbalance variants
- Asymmetric Configurations
- Marine Specifications
- Wide range of Hoisting Accessories and winched options including Manual, Electrical and Pneumatic
- Easy Assembly, Operation and Maintenance (D-L)
- FULL CUSTOMIZED & BUILT TO ORDER SOLUTIONS AVAILABLE



H



D




I



E



J



F



K



G



L

